



Sanders and Planers



BOSCH

Invented for life

Random Orbit Sanders/Polishers



Pad Dampening System

- ▶ Helps prevent swirl marks

Multiple Ergonomic Soft-Grip Positions

- ▶ Reduces hand fatigue

Variable-Speed Dial

- ▶ Allows matching of speed and power to workpiece and task for best performance



High-Performance Soft Microcellular Hook-and-Loop Backing Pad

- ▶ Conforms to many contours

Accepts Two Pad Sizes

- ▶ 6" backing pads (6-hole)
- ▶ 5" backing pads (8-hole)

Two Dust Collection Systems

- ▶ Microfilter dust canister with integrated paper filter and screw-off cap
- ▶ Vacuum hose connection with airflow control

Out-of-the-Box Connectivity to Most Vacuum Hoses

- ▶ Bosch 1-1/4" and 1-1/2" hoses



Vibration Control

Exclusive Bosch suspension system, using eight heavy-duty foam blocks, minimizes vibration for superior handling and maximum comfort

American Woodworkers
Editor's Picks 2011



ROS65VC-5 Random Orbit Sander/Polisher**NEW**

- ▶ Vibration Control—Exclusive Bosch suspension system minimizes vibration for superior handling and maximum comfort
- ▶ 3.3 Amp Rating—Among the highest in its class
- ▶ Two Dust Collection Systems—Microfilter dust canister with integrated paper filter and screw-off cap, or vacuum hose connection with airflow control
- ▶ Accepts 5" or 6" sanding pads

Optional dust collection attachments available on pages 258 and 274.

Specifications	
Rating	120V
Amperage	3.3
No Load OPM	5,500–12,000
Eccentric Offset	5/64" (2mm)
Disc Size	5"
Length	16-1/8"
Width	5"
Height	6.9"
Weight	5.3 lbs.

Includes:

Tubular Dust Canister **2605411234**
 Vacuum Hose Adapter **VAC024**
 Soft 5" Pad **RS038**
 5" Sanding Disc
 Pad Wrench **1907950006**
 Removable Front Handle **2602026175**

ROS65VC-6 Random Orbit Sander/Polisher**NEW**

Same features as ROS65VC-5 above.

Optional dust collection attachments available on pages 258 and 274.

Specifications	
Rating	120V
Amperage	3.3
No Load OPM	5,500–12,000
Eccentric Offset	5/64" (2mm)
Disc Size	6"
Length	14-1/4"
Width	6"
Height	6.9"
Weight	5.3 lbs.

Includes:

Tubular Dust Canister **2605411234**
 Vacuum Hose Adapter **VAC024**
 Soft 6" Pad **RS6045**
 6" Sanding Disc
 Pad Wrench **1907950006**
 Removable Front Handle **2602026175**

ROS65VCL Random Orbit Sander/Polisher with L-Boxx®**NEW****L-BOXX®**

Same features as ROS65VC-5 above.

Optional dust collection attachments available on pages 258 and 274.

Information about L-Boxx® is available on page 322.

Same specifications as ROS65VC-6 above.

Includes:

Tubular Dust Canister **2605411234**
 Vacuum Hose Adapter **VAC024**
 Soft 5" Pad **RS6045**
 Soft 6" Pad **RS038**
 5" and 6" Sanding Discs
 Pad Wrench **1907950006**
 Removable Front Handle **2602026175**
 Carrying Case **L-BOXX-3**
 L-Boxx® Insert **6035850526**



ROS10 5" Single-Speed Palm Random Orbit Sander/Polisher



- ▶ Multipurpose sander with pad that both orbits and rotates, delivering a well-blended, ultra-smooth surface finish with fast removal rate
- ▶ Comfortable Soft-Grip Top and Body—Multiple grip positions to prevent hand fatigue
- ▶ Integral Pad Dampening System—Helps prevent swirl marks
- ▶ Bosch Microfilter Dust Canister with Integrated Paper Filter—Optimal system for filtering fine dust

Optional dust collection attachments available on pages 258 and 274.

Specifications	
Rating	120V
Amperage	2.5
No Load OPM	12,000
Eccentric Offset	3/64" (1.25mm)
Disc Size	5" (125mm)
Length	9"
Width	5"
Height	6"
Weight	3.5 lbs.

Includes:

Soft Backing Pad **RS034**
 Microfilter Dust Canister **2609199179**
 Vacuum Hose Adapter for 1-1/4", 1-1/2"
 and Bosch Vacuum Hoses **VAC002**
 Sanding Disc

ROS20VSK 5" Variable-Speed Palm Random Orbit Sander/Polisher Kit



Same features as ROS10 above.

- ▶ Variable-Speed Dial—Allows match of speed to workpiece and task

Optional dust collection attachments available on pages 258 and 274.

Specifications	
Rating	120V
Amperage	2.5
No Load OPM	7,500–12,000
Eccentric Offset	3/64" (1.25mm)
Disc Size	5" (125mm)
Length	9"
Width	5"
Height	6"
Weight	3.5 lbs.

Includes:

Soft Backing Pad **RS034**
 Microfilter Dust Canister **2609199179**
 Vacuum Hose Adapter for 1-1/4", 1-1/2"
 and Bosch Vacuum Hoses **VAC002**
 Sanding Disc
 Carrying Case



ROS20VS

Woodworker's Journal



3725DEVS 5" Random Orbit Sander/Polisher



- ▶ Enhanced Random Orbit Sanding Action—Eccentric orbit plus free rotation for fast, swirl-free fine finishing or for aggressive stock removal
- ▶ Integral Pad Dampening System—Helps prevent swirl marks
- ▶ Rugged Die-Cast Aluminum Gear Housing with Dual-Bearing Pad Mount—Long-life design eliminates wobble and vibration
- ▶ Bosch Microfilter Dust Canister with Integrated Paper Filter—Optimal system for filtering fine dust

Optional dust collection attachments available on pages 258 and 274.

Specifications	
Rating	120V
Amperage	3.3
No Load OPM	4,500–12,000
Eccentric Offset	3/32" (2.5mm)
Disc Size	5" (125mm)
Length	12"
Width	5"
Height	5.25"
Weight	5.1 lbs.

Includes:

5mm Hex Pad Wrench **1907950006**
Soft Backing Pad **RS031**
Microfilter Dust Canister **RS026**
Sanding Disc
Removable Front Handle **2602026069**

3727DEVS 6" Random Orbit Sander/Polisher



Same features as 3725DEVS above.

Optional dust collection attachments available on pages 258 and 274.

Specifications	
Rating	120V
Amperage	3.3
No Load OPM	4,500–12,000
Eccentric Offset	5/64" (2.0mm)
Disc Size	6" (150mm)
Length	12"
Width	6"
Height	5.25"
Weight	5.2 lbs.

Includes:

5mm Hex Pad Wrench **1907950006**
Soft Backing Pad **RS6045**
Microfilter Dust Canister **RS026**
Sanding Disc
Removable Front Handle **2602026069**

1250DEVS 6" Dual-Mode Random Orbit Sander/Polisher



- ▶ Multipurpose Sander with Two Sanding Modes: Random-orbit mode for normal stock removal or fine finishing and "turbo" eccentric-orbit mode for aggressive stock removal at five times random orbit sander removal rate
- ▶ Integral Pad Dampening System—Helps prevent swirl marks
- ▶ Rugged Die-Cast Aluminum Gear Housing with Dual-Bearing Pad Mount—Long-life design eliminates wobble and vibration
- ▶ Built-In Dust Port—Passive dust collection system. Vacuum cleaner and hose required. Accepts Bosch VAC025, VAC009 and VAC010 vacuum hoses or VAC002 hose adapter

Optional dust collection attachments available on page 274.

Specifications	
Rating	120V
Amperage	6.5
No Load OPM	3,100–6,650
No Load RPM (in Turbo Mode)	270–600
Eccentric Offset	3/32" (2.5mm)
Disc Size	6" (150mm)
Sanding Plate Size	6"
Orbit Diameter	3/16"
Length	12"
Width	6"
Height	6"
Weight	5.3 lbs.

Includes:

Dust Tube **2601328072**
Soft Backing Pad **RS6045**
5mm Hex Pad Wrench **1907950006**
Ambidextrous Auxiliary Handle **2602025067**
Sanding Disc
Vacuum Hose Adapter **VAC002**



Random Orbit Sander/Polisher Dust Collection Attachments

Microfilter Dust Canisters

- ▶ The optimal on-tool system for collecting fine dust
- ▶ Integrated paper filter traps particles as small as a 1/2 micron in diameter
- ▶ Easy to empty and clean



2609199179

2605411234

Item #	Description
2609199179	Fits models ROS20VS and ROS10
2605411234	Fits models ROS65VC-5, ROS65VC-6, ROS65VCL
RS026	Fits models 3107DVS, 3725DVS, 3727DVS, 3725DEVS, 3727DEVS


Hose Adapter

- ▶ Use with vacuum hose VAC001, VAC005, VAC006, VAC007, VAC008, VAC009, VAC010, VAC021, VAC025 or vacuum hose adapter VAC002 or VAC024



Item #	Description
RS006	Fits models 1295D, 1295DH, 1295DP, 1295DVS, 3107DVS, 3725DVS, 3727DVS, 3725DEVS, 3727DEVS

Sanding Discs and Accessories



Sanding Color Coding Guide



Premium Resin-Bonded Aluminum Oxide

- ▶ Long-lasting performance
- ▶ Best for sanding wood, wood composites and other materials




Stearate Coating Over Double Resin-Bonded Aluminum Oxide

- ▶ Resists clogging for fast/efficient sanding
- ▶ Best for sanding painted, finished or soft surfaces

Grit Guide

Grit	Description
40	Heavy sanding and stripping
60, 80	Moderate sanding and smoothing
100, 120	Light sanding and cleaning
180	Fine sanding/before first coat
240	Very fine sanding/before finish coat
320	Sanding between finish coats

Sanding Discs for Paint




Ideal for paint and finish removal or sanding softer materials. Features aluminum oxide with special non-stick coating designed to eliminate the dust that often clogs other sandpapers rendering them ineffective. Lasts up to four times longer than standard sandpaper.

- ▶ Superior performance and long life
- ▶ Cleanly pre-punched with six or eight holes for uniform dust extraction through the pad without creating unwanted swirl marks or scratches on the work surface
- ▶ Available in 5" or 6" discs with hook-and-loop backing


Item #	Description	Dia.	Grit	Quantity
SR5W000	Hook and loop, 8 holes	5"	60-120-240	6
SR5W040	Hook and loop, 8 holes	5"	40	5
SR5W042	Hook and loop, 8 holes	5"	40	25
SR5W060	Hook and loop, 8 holes	5"	60	5
SR5W062	Hook and loop, 8 holes	5"	60	25
SR5W065	Hook and loop, 8 holes	5"	60	50
SR5W080	Hook and loop, 8 holes	5"	80	5
SR5W082	Hook and loop, 8 holes	5"	80	25
SR5W085	Hook and loop, 8 holes	5"	80	50
SR5W120	Hook and loop, 8 holes	5"	120	5
SR5W122	Hook and loop, 8 holes	5"	120	25
SR5W125	Hook and loop, 8 holes	5"	120	50
SR5W180	Hook and loop, 8 holes	5"	180	5
SR5W240	Hook and loop, 8 holes	5"	240	5
SR5W242	Hook and loop, 8 holes	5"	240	25
SR5W245	Hook and loop, 8 holes	5"	240	50
SR6W000	Hook and loop, 6 holes	6"	60-120-240	6
SR6W040	Hook and loop, 6 holes	6"	40	5
SR6W060	Hook and loop, 6 holes	6"	60	5
SR6W062	Hook and loop, 6 holes	6"	60	25
SR6W080	Hook and loop, 6 holes	6"	80	5
SR6W120	Hook and loop, 6 holes	6"	120	5
SR6W180	Hook and loop, 6 holes	6"	180	5

PSA (Self-Adhesive) Sanding Discs



Item #	Description	Dia.	Grit	Quantity
RSP060	PSA general-purpose sanding disc, 8 holes	5"	60	25
RSP080	PSA general-purpose sanding disc, 8 holes	5"	80	25
RSP120	PSA general-purpose sanding disc, 8 holes	5"	120	25
RSP240	PSA general-purpose sanding disc, 8 holes	5"	240	25

Sanding Discs for Wood



Perfect for multipurpose sanding projects and hardwoods such as oak and maple or building boards like plywood. Industrial strength, this paper provides users with the highest-quality aluminum oxide grit and resin-bonding agent.

- ▶ Superior performance and long life
- ▶ Bosch sanding discs are cleanly pre-punched with six or eight holes for uniform dust extraction through the pad without creating unwanted swirl marks or scratches on the work surface
- ▶ Available in 5" or 6" discs with hook-and-loop backing

Item #	Description	Dia.	Grit	Quantity
SR5R000	Hook and loop, 8 holes	5"	60-120-240	6
SR5R040	Hook and loop, 8 holes	5"	40	5
SR5R042	Hook and loop, 8 holes	5"	40	25
SR5R045	Hook and loop, 8 holes	5"	40	50
SR5R060	Hook and loop, 8 holes	5"	60	5
SR5R062	Hook and loop, 8 holes	5"	60	25
SR5R065	Hook and loop, 8 holes	5"	60	50
SR5R080	Hook and loop, 8 holes	5"	80	5
SR5R082	Hook and loop, 8 holes	5"	80	25
SR5R085	Hook and loop, 8 holes	5"	80	50
SR5R105	Hook and loop, 8 holes	5"	100	50
SR5R120	Hook and loop, 8 holes	5"	120	5
SR5R122	Hook and loop, 8 holes	5"	120	25
SR5R125	Hook and loop, 8 holes	5"	120	50
SR5R180	Hook and loop, 8 holes	5"	180	5
SR5R182	Hook and loop, 8 holes	5"	180	25
SR5R185	Hook and loop, 8 holes	5"	180	50
SR5R240	Hook and loop, 8 holes	5"	240	5
SR5R242	Hook and loop, 8 holes	5"	240	25
SR5R245	Hook and loop, 8 holes	5"	240	50
SR5R320	Hook and loop, 8 holes	5"	320	5
SR5R322	Hook and loop, 8 holes	5"	320	25
SR5R325	Hook and loop, 8 holes	5"	320	50
SR6R000	Hook and loop, 6 holes	6"	60-120-240	6
SR6R040	Hook and loop, 6 holes	6"	40	5
SR6R042	Hook and loop, 6 holes	6"	40	25
SR6R060	Hook and loop, 6 holes	6"	60	5
SR6R062	Hook and loop, 6 holes	6"	60	25
SR6R080	Hook and loop, 6 holes	6"	80	5
SR6R082	Hook and loop, 6 holes	6"	80	25
SR6R102	Hook and loop, 6 holes	6"	100	25
SR6R120	Hook and loop, 6 holes	6"	120	5
SR6R122	Hook and loop, 6 holes	6"	120	25
SR6R180	Hook and loop, 6 holes	6"	180	5
SR6R182	Hook and loop, 6 holes	6"	180	25
SR6R240	Hook and loop, 6 holes	6"	240	5
SR6R242	Hook and loop, 6 holes	6"	240	25
SR6R320	Hook and loop, 6 holes	6"	320	5
SR6R322	Hook and loop, 6 holes	6"	320	25




Backing Pad Guide

Firmness	Application
Extra Soft	Ideal for curved or contoured surfaces
Soft	Ideal for general-purpose sanding and polishing
Hard	Ideal for flat surfaces and fast removal

Backing Pads

For use with abrasive discs and polishing bonnets on random orbit sanders. The flexible rubber pad allows flat or contour sanding without gouging.



5", eight-hole pads for models ROS10 and ROS20VS

Item #	Description
RS033	Extra soft, hook and loop
RS034	Soft, hook and loop
RS035	Hard, hook and loop
RS036	Soft, PSA (self-adhesive) sanding disc

5", eight-hole pads for models 1295DP, 1295D, 1295DH, 1295DVS, 3107DVS, 3725DVS and 3725DEVS

Item #	Description
RS030	Extra soft, hook and loop
RS031	Soft, hook and loop
RS032	Hard, hook and loop
RSP019	Medium, PSA (self-adhesive) sanding disc

5", eight-hole pad for model ROS65VC

Item #	Description
RS038	Soft, hook and loop

6", six-hole pads for models 1250DEVS, 3727DEVS and ROS65VC

Item #	Description
RS6044	Extra soft, hook and loop
RS6045	Soft, hook and loop
RS6046	Hard, hook and loop
2600099005	6" PSA (self-adhesive) disc adapter (2 pc)

6", six-hole pads for model 1370DEVS

Item #	Description
RS6034	Medium, hook and loop



Polishing Bonnets and Discs

Polishing and buffing accessories, including bonnets, buffing pads and applicator pads are available in a variety of sizes, pile heights and materials for professional use.



RS013

RS014

Item #	Description	Diameter	Quantity
RS013	Sponge applicator pad	5"	1
RS014	Buffing pad	5"	1
RS6030	Sponge applicator pad	6"	1
RS6031	Hard felt polishing disc for flat surfaces	6"	2
RS6032	Soft felt polishing disc for contoured surfaces	6"	2

Corner/Detail Orbital Sander



1294VSK Corner/Detail Orbital Sander Kit



- ▶ Uniform sanding in corners and tight spaces
- ▶ True orbital finishing sander motion, superior to arcing or pivoting motion
- ▶ Three-Position Pad—Extends paper and pad life
- ▶ Built-In Dust Port—Passive dust collection system. Vacuum cleaner and hose required. Accepts Bosch VAC001, VAC009, VAC010 or VAC025 vacuum hoses or VAC002 or VAC024 hose adapter

Optional dust collection attachments available on page 274.

Specifications	
Rating	120V
Amperage	2.3
No Load OPM	13,000–19,000
Sanding Plate Size	3-3/4"
Orbit Diameter	3/32"
Length	11"
Width	3-7/8"
Height	4-3/8"
Weight	2.4 lbs.

Includes:

(20) Sanding Sheets
 Extension Plate **2608000200**
 Narrow Extension (Flat) **2608000199**
 Narrow Extension (Oval) **2608000198**
 Regular Plate **2608000174**
 Vacuum Hose Adapter **VAC002**



Detail Sanding Sheets and Pad for Corner/Detail Sanders and Oscillating Multi-Tools

Detail Sanding Sheets for Paint



Ideal for paint and finish removal or sanding softer materials. Features a special non-stick coating designed to eliminate the dust that often clogs other sandpapers rendering them ineffective. Lasts up to four times longer than standard sandpaper.

- ▶ Premium resin-bonded aluminum oxide open coat with stearate coating
- ▶ Front-side punching enhances dust control
- ▶ When used with sanders such as the Bosch 1294VSK Corner/Detail Sander Kit professionals can access corners and edges otherwise difficult to reach
- ▶ Fits Bosch 1294VSK and other detail sanders with six-hole pattern
- ▶ Also fits Bosch oscillating Multi-X™ tools and similar oscillating tools

Item #	Description	Grit	Quantity
SDTW000	Assorted grits, hook and loop, 6 holes	60-120-240	6
SDTW040	Hook and loop, triangle, 6 holes	40	5
SDTW042	Hook and loop, triangle, 6 holes	40	25
SDTW060	Hook and loop, triangle, 6 holes	60	5
SDTW062	Hook and loop, triangle, 6 holes	60	25
SDTW080	Hook and loop, triangle, 6 holes	80	5
SDTW082	Hook and loop, triangle, 6 holes	80	25
SDTW120	Hook and loop, triangle, 6 holes	120	5
SDTW122	Hook and loop, triangle, 6 holes	120	25
SDTW180	Hook and loop, triangle, 6 holes	180	5
SDTW182	Hook and loop, triangle, 6 holes	180	25
SDTW240	Hook and loop, triangle, 6 holes	240	5
SDTW242	Hook and loop, triangle, 6 holes	240	25

Surface Conditioning Abrasive Triangle Pad




Fits Bosch 1294VSK, oscillating Multi-X™ tools and similar sanders and oscillating tools.

Item #	Description	Quantity
CS101	Coarse for rust, corrosion and finish removal or scuffing	1

Bosch oscillating Multi-X™ tools are available on pages 199-201.

Detail Sanding Sheets for Wood



Perfect for multipurpose sanding projects and hardwoods such as oak and maple or building boards like plywood. This industrial-strength paper provides users with the highest-quality aluminum oxide grit and resin-bonding agent.

- ▶ Premium resin-bonded aluminum oxide open coat
- ▶ Front-side punching enhances dust control
- ▶ When used with sanders such as the Bosch 1294VSK Corner/Detail Sander Kit professionals can access corners and edges otherwise difficult to reach
- ▶ Triangles also fit Bosch oscillating Multi-X™ and similar oscillating tools

Item #	Description	Grit	Quantity
SDNR000	Assorted grits, hook and loop, narrow	60-120-240	6
SDTR000	Assorted grits, hook and loop, triangle, 6 holes	60-120-240	6
SDNR040	Hook and loop, narrow	40	5
SDTR040	Hook and loop, triangle, 6 holes	40	5
SDTR042	Hook and loop, triangle, 6 holes	40	25
SDTR041	Hook and loop, triangle, 6 holes	40	50
SDNR060	Hook and loop, narrow	60	5
SDTR062	Hook and loop, triangle, 6 holes	60	25
SDTR061	Hook and loop, triangle, 6 holes	60	50
SDNR080	Hook and loop, narrow	80	5
SDTR080	Hook and loop, triangle, 6 holes	80	5
SDTR082	Hook and loop, triangle, 6 holes	80	25
SDTR081	Hook and loop, triangle, 6 holes	80	50
SDNR120	Hook and loop, narrow	120	5
SDTR120	Hook and loop, triangle, 6 holes	120	5
SDTR122	Hook and loop, triangle, 6 holes	120	25
SDTR121	Hook and loop, triangle, 6 holes	120	50
SDTR180	Hook and loop, triangle, 6 holes	180	5
SDTR182	Hook and loop, triangle, 6 holes	180	25
SDTR181	Hook and loop, triangle, 6 holes	180	50
SDNR240	Hook and loop, narrow	240	5
SDTR240	Hook and loop, triangle, 6 holes	240	5
SDTR242	Hook and loop, triangle, 6 holes	240	25
SDTR241	Hook and loop, triangle, 6 holes	240	50



1/4 and 1/2 Sheet Orbital Finishing Sanders

1297DK 1/4 Sheet Orbital Finishing Sander Kit with SheetLoc™



- ▶ SheetLoc™ Sandpaper Attachment System—Pulls regular sandpaper flat and tight, giving it the benefits of adhesive “stick-on” paper—fast, easy installation; uniform sanding and longer paper life, but without stick-on paper’s high cost
- ▶ Also accepts stick-on paper (PSA)
- ▶ Bosch Microfilter Dust Canister with Integrated Paper Filter—Optimal filtering system for fine dust
- ▶ Ergonomic, Soft-Grip Top—For comfort and control

Optional dust collection attachments available on pages 263 and 274.

Specifications	
Rating	120V
Amperage	2.0
No Load OPM	12,000
Sanding Plate Size	4-1/2" x 4"
Paper Size	4-1/2" x 5-1/2" (Std. 1/4 sheet)
Stick-On (PSA) Sandpaper Size	4-1/2" x 4-1/2" (Std. 1/4 sheet)
Orbit Diameter	1/16"
Length	10"
Width	4-1/2"
Height	5-3/4"
Weight	2.7 lbs.

Includes:

Paper Punchplate **2610920650**
Sandpaper Sheet
Microfilter Dust Canister **RS024**
1/4 Sheet Sanding Pad
Vacuum Hose Adapters **RS006, VAC002**
Carrying Bag **2610922842**

1293D 1/2 Sheet Orbital Finishing Sander



- ▶ Dual-Row Bearing Design—For exceptional smoothness
- ▶ Bosch Microfilter Dust Canister with Integrated Paper Filter—Optimal filtering system for fine dust
- ▶ Ergonomic Handles, Tapered Soft-Grip Top—Multiple-grip positions provide comfort and control
- ▶ Trigger Switch with Lock-On Button

Optional dust collection attachments available on pages 263 and 274.

Specifications	
Rating	120V
Amperage	3.2
No Load OPM	13,000
Paper Size	4-1/2" x 11" (1/2 sheet)
Orbit Diameter	3/16"
Length	13-1/4"
Width	4-1/2"
Height	7-5/8"
Weight	6.3 lbs.

Includes:

Allen® Key **1907950006**
Paper Punchplate **2608190017**
Microfilter Dust Canister **RS026**
Sanding Sheet
1/2 Sheet Sanding Pad **2608000236**
Removable Front Handle

Dust Collection Attachments

Microfilter Dust Canisters



RS024

- ▶ The optimal on-tool system for collecting fine dust
- ▶ Integrated paper filter traps particles as small as a 1/2 micron in diameter
- ▶ Easy to empty and clean

Item #	Description
RS024	Fits model 1297D
RS026	Fits model 1293D

Hose Adapter



- ▶ Use with vacuum hose VAC001, VAC005, VAC006, VAC007, VAC008, VAC009, VAC010, VAC021, VAC025 or vacuum hose adapter VAC002 or VAC024

Item #	Description
RS006	Fits model 1293D, 1297DK



Toll free: 877-BOSCH-99

Sanding Sheets

Sanding Sheets for Wood



Perfect for multipurpose sanding projects and hardwoods such as oak and maple or building boards like plywood.

- ▶ Premium resin-bonded aluminum oxide open coat
- ▶ Ideal for orbital sanders and other applications including hand sanding
- ▶ 4-1/4" x 5-1/2" sheets fit Bosch and other 1/4 sheet sanders

Item #	Size	Grit	Quantity	Bulk Item #	Bulk Quantity
SS4R000	4-1/4" x 5-1/2"	60-120-180	6	—	—
SS4R060	4-1/4" x 5-1/2"	60	5	—	—
SS4R062	4-1/4" x 5-1/2"	60	25	—	—
SS4R080	4-1/4" x 5-1/2"	80	5	—	—
SS4R082	4-1/4" x 5-1/2"	80	25	—	—
SS4R120	4-1/4" x 5-1/2"	120	5	—	—
SS4R122	4-1/4" x 5-1/2"	120	25	—	—
SS4R180	4-1/4" x 5-1/2"	180	5	—	—
SS4R182	4-1/4" x 5-1/2"	180	25	—	—
SS1R060	9" x 11"	60	5	SS1R065	50*
SS1R080	9" x 11"	80	5	SS1R085	50*
SS1R120	9" x 11"	120	5	SS1R125	50*
SS1R180	9" x 11"	180	5	SS1R185	50*

*Bulk sheets are individually UPC bar coded

Sanding Belts



Bi-directional sanding belts feature butt-splice construction for smooth running in both directions on belt sanders.

- ▶ Designed for superior performance on wood, metal, plastic, fiberglass and other materials
- ▶ Open-coat aluminum oxide abrasive resists loading for high removal rates and a great finish
- ▶ Double-resin bonding and x-weight backings provide durability and longer belt life
- ▶ Anti-static backing for highest removal and consistent finish

Item #	Size	Grit	Quantity
SCBR000	1-1/2" x 12"	Assorted	3
SCBR040	1-1/2" x 12"	40	3
SCBR041	1-1/2" x 12"	40	10
SCBR060	1-1/2" x 12"	60	3
SCBR061	1-1/2" x 12"	60	10
SCBR080	1-1/2" x 12"	80	3
SCBR081	1-1/2" x 12"	80	10
SCBR120	1-1/2" x 12"	120	3
SCBR121	1-1/2" x 12"	120	10
SCBR180	1-1/2" x 12"	180	3
SCBR240	1-1/2" x 12"	240	3
SB3R000	3" x 18"	Assorted	3
SB3R040	3" x 18"	40	3
SB3R041	3" x 18"	40	10
SB3R060	3" x 18"	60	3
SB3R061	3" x 18"	60	10
SB3R080	3" x 18"	80	3
SB3R081	3" x 18"	80	10
SB3R100	3" x 18"	100	3
SB3R101	3" x 18"	100	10
SB3R120	3" x 18"	120	3
SB3R121	3" x 18"	120	10
SB4R000	3" x 21"	Assorted	3
SB4R040	3" x 21"	40	3
SB4R041	3" x 21"	40	10
SB4R060	3" x 21"	60	3
SB4R061	3" x 21"	60	10
SB4R080	3" x 21"	80	3
SB4R081	3" x 21"	80	10
SB4R100	3" x 21"	100	3
SB4R101	3" x 21"	100	10
SB4R120	3" x 21"	120	3
SB4R121	3" x 21"	120	10
SB5R000	3" x 24"	Assorted	3
SB5R040	3" x 24"	40	3
SB5R041	3" x 24"	40	10
SB5R060	3" x 24"	60	3
SB5R061	3" x 24"	60	10
SB5R080	3" x 24"	80	3
SB5R081	3" x 24"	80	10
SB5R100	3" x 24"	100	3
SB5R101	3" x 24"	100	10
SB5R120	3" x 24"	120	3
SB5R121	3" x 24"	120	10
SB6R040	4" x 24"	40	3
SB6R041	4" x 24"	40	10
SB6R060	4" x 24"	60	3
SB6R061	4" x 24"	60	10
SB6R080	4" x 24"	80	3
SB6R081	4" x 24"	80	10
SB6R100	4" x 24"	100	3
SB6R101	4" x 24"	100	10
SB6R120	4" x 24"	120	3
SB6R121	4" x 24"	120	10

Belt Sander Attachments

Sanding Stand

- ▶ Turns your portable belt sander into a stationary sander
- ▶ Professional accessory eliminates makeshift solutions
- ▶ Clamps sander in horizontal or vertical position
- ▶ Use only in conjunction with sanding fence 2607001079 (sold separately)



Item #	Description
1608030024	Fits model 1274DVS

Sanding Fence

- ▶ Use with sanding stand to shape stock held against belt
- ▶ Fences can be mounted alongside belt or across sander
- ▶ Use without stand to guide sander on edges



Item #	Description
2607001079	Fits model 1274DVS

Planers



PL1682 3-1/4" Planer



- ▶ Electronically Counterbalanced Single-Blade System Automatically Positions Blade at Ideal Cutting Angle—Eliminates uneven planing caused by misaligned blades
- ▶ Equipped with the Bosch Woodrazor® Micrograin Carbide Blade, which resists fractures from nail and staple strikes. On the PL1682, Woodrazor® lasts up to two times longer than standard carbide blades on other planers
- ▶ Ratcheting Depth Knob—Allows foolproof setting of depth increments from 0 to 1/16" (1.5mm) within one revolution
- ▶ Aluminum front and rear shoes machined together after assembly to ensure accuracy

Optional dust collection attachments available on page 274.

Specifications	
Rating	120V
Amperage	6.0
No Load RPM	16,500
Planing Depth	0–1/16" (1.5mm)
Rabbeting Depth	0–5/16"
Maximum Planing Width	0" to 3-1/4"
Shoe Length	11-1/8"
Cord Length	10 ft.
Weight	6.0 lbs.

Includes:
 (2) Woodrazor® Blades **PA1202**
 Edge Guide Fence
 Chip Bag **2605411035**
 Blade Wrench **190795003**

1594K 3-1/4" Planer Kit



- ▶ Equipped with Two Bosch Woodrazor® Micrograin Carbide Blades—Woodrazors last up to 30% longer than standard carbide blades and resist fractures from nail and staple strikes
- ▶ Can be converted for use with large high-speed steel blades (optional accessories required)
- ▶ Chip Ejection Switch—Directs shavings left or right
- ▶ Ratcheting Depth Knob—Allows foolproof setting of depth increments from 0 to 3/32" (2.5mm) within one revolution

Optional dust collection attachments available on page 274.

Specifications	
Rating	120V
Amperage	6.5
No Load RPM	16,500
Planing Depth	0–3/32" (2.5mm)
Rabbeting Depth	0–5/16"
Maximum Planing Width	0" to 3-1/4"
Shoe Length	11-1/8"
Cord Length	10 ft.
Weight	6.0 lbs.

Includes:
 (2) Woodrazor® Blades **PA1202**
 Bevel Guide Fence **2607001077**
 Chip Bag **2605411035**
 Blade Wrench **1907950025**
 Carrying Case



Planer Accessories and Attachments

Woodrazor® Micrograin Carbide Planer Blades


- ▶ Toughest, most durable planer blade available
- ▶ Lasts up to 30% longer than standard tungsten carbide blades
- ▶ 10% sharper than standard carbide blades
- ▶ Double edged, reversible
- ▶ Made with micrograin tungsten carbide



Item #	Description
PA1202	Fits Bosch and most competitive planers

Guide Fence


- ▶ Ensures consistent planing through entire workpiece
- ▶ Protective shield covers section of blade not in use
- ▶ Mounts on either side of tool



Item #	Description
PA1207	Fits 3365, 1594, 53514, 53518, and PL1682

High-Speed Steel Blades with Retainers


- ▶ Factory leveled for immediate installation on planer
- ▶ Can be resharpened
- ▶ Bosch PA1206 blade leveling fixture is required for installation and reinstallation after resharpening



Item #	Description
PA1204	For use with 1594 planer

High-Speed Steel Blade Leveling Fixture

- ▶ Required for installation of new and resharpened PA1205 and PA1204 high-speed steel blades



Item #	Description
PA1206	For use with 1594 planer, PA1204 and PA1205

High-Speed Steel Blades

- ▶ Can be resharpened
- ▶ High-speed steel blade retainers required (PA1205)
- ▶ Bosch PA1206 blade leveling fixture is required for installation and reinstallation after resharpening



Item #	Description
PA1205	For use with 1594 planer and many competitors' models

Rabbeting Depth Stops for Planers



Item #	Description
2607000073	Fits models 3365, 53514, 53518
1608132006	Fits model 1594, PL1682

Bevel Guide Fence

- ▶ Allows bevel cutting from 0°–45°
- ▶ Two lock knobs and cast bracket for rigidity
- ▶ Ensures consistent planing through entire workpiece
- ▶ Protective shield covers section of blade not in use



Item #	Description
2607001077	Fits 3365, 1594, 53514, 53518, and PL1682

Chip Bag

- ▶ Extra-large chip bag keeps work area clean



Item #	Description
2605411035	Fits 3365, 1594, 53514, 53518, and PL1682

Metal Case



Item #	Description
2610906281	For use with Bosch planers